










SA3-DT Repair Parts









SA3-DT ELECTRIC DRUM-TOP SUMP CLEANER



1		A220-564	Hood
2		SP-396	Muffler
3		SP-182	Vacuum Relief Valve, 3/8"
4	Picture Unavailable	SP-174B	Air Exhauster, 3/4"
5		SP-194A	Vacuum Gage, 2"
6		SP-405	Disconnect Adapter, 1-1/2" Female Threads, A
7		SP-404	Disconnect Coupler, 1-1/2" Female Threads, D
8		SP-370	Coupler Gasket, 1-1/2"
9		A-220-144	Sump Cleaner Hose Assembly, Clear, 1-1/2" x 10' long



SA3-DT Repair Parts

1		A-220-142	Optional Sump Cleaner Hose Assembly, Clear, 1-1/2" x 16' long
2		A-210-474	Straight Nozzle (fits 1-1/2" x 16' long)
3		A-220-149	Flare Nozzle Assembly (fits 1-1/2" I.D. hose)
4		A-220-150	Flexible Nozzle Assembly (fits 1-1/2" I.D. Hose_
5		SP-273	Air Supply Valve, 1/2"
6		SP-173	Air hose, 1/2" x 20' long
7		A-210-106	Drum Lid Gasket
8		A-210-402	Float Control Assembly, 3/4"



Accessories

TX-55PL Drum Tank



CECOR's heavy duty 55-gallon drum tank, made of heavy gauge steel, is stronger than a standard 55 gallon drum. The tank is mounted on four casters for easy rolling and maneuverability. Fork pockets built into the base provide easy handling by fork truck. The tank features an 8" x 10" cleanout door for removing settled solids. Valve in door permits fluid to drain out, leaving the solids.

Drum Dolly



The drum dolly puts wheels under your own 55 gallon drum. Heavy frame construction with two rigid and two swivel casters with 4" diameter phenolic roller-bearing wheels. Simple T-grip handle provides maneuverability and pulling ease.

